




QUALITY BRITISH HANDMADE FIRES

A warm, dimly lit living room. In the center is a fireplace with a black and white diamond-patterned surround. A fire burns brightly in the hearth. Above the mantel, three small, glowing lights are visible. In the foreground, a person's feet, wearing brown suede slippers with white fur trim, are propped up on a white, fluffy rug. To the left, a small white cup sits on a surface, and a sign with the word "FIRE" is partially visible.

"It is a pleasure to be able to introduce you to our growing range of stoves. We believe that time spent choosing, buying and enjoying a Clock Woodburner is time well spent and it is our aim to ensure that the process is a pleasure from start to finish. You can be assured that a Clock Woodburner is built to the very latest specifications and designed to bring you years of pleasure. So why not visit your local dealer today and welcome home a Clock Woodburner?"

Dan Hulse - Managing Director, Clock Woodburners



Here at Clock Woodburners we are passionate about designing and building efficient, effective and stylish stoves. But choosing a stove is about more than just how it works and what it looks like, it's about how it makes you feel.

WHY CHOOSE CLOCK WOODBURNERS?

Control & efficiency

Our wood-burning and multi-fuel stoves boast our unique 'clockwork' control, making our stoves one of the most controllable and impressively efficient in terms of flame/heat output on the market.

Future proof

Ecodesign is the European-wide programme to lower emissions that came into force for stoves in the UK in 2022. All Clock stoves not only meet, but beat, industry regulations for performance.

Beautifully engineered

All our stoves are designed and built for you in the UK. And that's everything from parts fabrication, assembly and hand-finishing – it's all done in the UK. Packaging, shipping, after-sales care and customer services are all managed here by us in the UK too.

First-class service

With a hand-picked network of dealers and showrooms across the UK, with a proven track record of first-class customer service and reliability, you are only a short trip away from viewing your new Clock stove in action.



CONTENTS

Blithfield	Pages 4 - 13
Sudbury	Pages 14 - 25
Brocksford	Pages 26 - 27
Somersal	Pages 28 - 29




BLITHFIELD 5

CLOCK BLITHFIELD 5 (MULTI-FUEL 5KW)

This 5kW multi-fuel stove combines outstanding performance with elegant design. With an impressive heat output range of 3.5kW to 7.5kW, you can choose to add height with the addition of an optional log store and add a splash of colour with a choice of finishes.



LOG BOX OPTION



Dimensions	A	B	C	D	Weight
Clock Blithfield 5	535mm	600mm	380mm	90mm	116kg
Clock Blithfield 5 with Log Store	535mm	850mm	380mm	90mm	158kg

Available in Black with Stainless Steel Fittings as standard.
Optional Extras (Additional Cost):

- Log Store
- Colours – See Colour Chart (p30)
- Brass or Black Fittings
- Direct Air Kit
- Heat Shield



For best performance we recommend these distances to non-combustible materials.
A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.

Description	Values
Fuel Type	Wood-Burning and Multi-Fuel
Output Range	3.5kW – 7.5kW (Nominally tested at 5kW)
Flue Size	5" / 130mm
Glass Size	352mm x 270mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	375mm	600mm	600mm
To Non-combustibles	250mm	100mm	50mm



BLITHFIELD COMPACT 5

CLOCK BLITHFIELD COMPACT 5 (MULTI-FUEL 5KW)

Designed directly in response to feedback from our customers for a stove suitable for smaller interiors, the Compact 5kW might be the Blithfield's little sister, but she packs no less of a punch! While the dimensions have been trimmed, nothing has been compromised when it comes to performance. No wonder it's an award winner!



LOG BOX OPTION


Available in Black with Stainless Steel Fittings as standard.

Optional Extras (Additional Cost):

- Log Store
- Colours – See Colour Chart (p30)
- Brass or Black Fittings
- Direct Air Kit
- Heat Shield



For best performance we recommend these distances to non-combustible materials.
A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.



Dimensions	A	B	C	D	Weight
Clock Blithfield Compact 5	435mm	600mm	340mm	90mm	85kg
Clock Blithfield Compact 5 with Log Store	435mm	845mm	340mm	90mm	119kg

Description	Values
Fuel Type	Wood-Burning and Multi-Fuel
Output Range	3.5kW - 7kW (Nominally tested at 5kW)
Flue Size	5" / 130mm
Glass Size	300mm x 250mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	375mm	600mm	500mm
To Non-combustibles	250mm	100mm	50mm



BLITHFIELD 8

CLOCK BLITHFIELD 8 (MULTI-FUEL 5KW)

As the big brother to the original Blithfield, the Clock Blithfield 8kW provides a larger than average view of the fire through the air-washed glass and boasts one of the most precise controls over the burn rate and flame pattern of any stove on the market. With a nominal output of 8kW it suits larger rooms.



LOG BOX OPTION


Available in Black with Stainless Steel Fittings as standard.

Optional Extras (Additional Cost):

- Log Store
- Colours – See Colour Chart (p30)
- Brass or Black Fittings
- Direct Air Kit
- Heat Shield



For best performance we recommend these distances to non-combustible materials.
A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.



Dimensions	A	B	C	D	Weight
Clock Blithfield 8	595mm	640mm	380mm	100mm	136kg
Clock Blithfield 8 with Log Store	595mm	910mm	380mm	100mm	180kg

Description	Values
Fuel Type	Wood-Burning and Multi-Fuel
Output Range	6kW – 10.5kW (Nominally tested at 8kW)
Flue Size	6" / 150mm
Glass Size	415mm x 315mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	450mm	650mm	600mm
To Non-combustibles	300mm	100mm	50mm



BLITHFIELD INSET

CLOCK BLITHFIELD INSET (MULTI-FUEL 5KW)


The Blithfield Inset stove is a new addition to our range, designed to be recessed into a chimney breast or wall to leave only the front visible. The Inset takes up less space but features the same quality and performance as our original Blithfield 5kW.



Available in Black only with Stainless Steel Fittings as standard.

Optional Extras (Additional Cost):

- Brass or Black Fittings



Dimensions	A	B	C	D	Weight
Blithfield Inset	535 mm	600 mm	484 mm	100 mm	136kg
	E	F	G	H	
	134 mm	350 mm	549.5 mm	390 mm	

Description	Values
Fuel Type	Wood-Burning and Multi-Fuel
Output Range	4kW – 7kW (Nominally tested at 5kW)
Flue Size	5" / 130mm
Glass Size	352mm x 270mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	410mm	500mm	N/A
To Non-combustibles	250mm	100mm	N/A



For best performance we recommend these distances to non-combustible materials.
A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.



BLITHFIELD DS

CLOCK BLITHFIELD DS (DOUBLE-SIDED) (MULTI-FUEL 10KW)

Indulge in the good things in life with the Clock Double. When we introduced the market's first fully Eco-design compliant double-sided stove, we rewrote the rules of fire design. Today, this modern classic remains the ultimate future-proof investment—delivering a show-stopping centrepiece without compromising environmental standards.




Available in Black with Stainless Steel Fittings as standard.

Optional Extras (Additional Cost):

- Colours – See Colour Chart (p30)
- Brass or Black Fittings
- Direct Air Kit



For best performance we recommend these distances to non-combustible materials. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.



Dimensions	A	B	C	Weight
Clock Blithfield DS	535mm	600mm	600mm	175kg

Description	Values
Fuel Type	Wood-Burning and Multi-Fuel
Output Range	8.5kW – 14kW (Nominally tested at 10.5kW)
Flue Size	6" / 150mm
Glass Size	352mm x 270mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	550mm	850mm	N/A
To Non-combustibles	300mm	200mm	N/A



SUDBURY CLASSIC

CLOCK SUDBURY CLASSIC (WOOD-ONLY 5KW)

The much-loved Sudbury Classic wood-burning stove continues to be available through all our dealers. This edition includes our magnetic door clasp, a lower log retainer, metal baffle, and a cool-touch block handle. The Sudbury Classic can also be ordered in a variety of colours.



LOG BOX OPTION


Available in Black with Stainless Steel Dial as standard.

Optional Extras (Additional Cost):

- Colours – See Colour Chart (p30)
- Brass or Black Dial
- Direct Air Kit
- Heat Shield



For best performance we recommend these distances to non-combustible materials.
A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.



Dimensions	A	B	C	D	Weight
Clock Sudbury Classic	545mm	610mm	345mm	90mm	93kg
Clock Sudbury Classic with Logstore	545mm	850mm	345mm	90mm	130kg

Description	Values
Fuel Type	Wood-Burning only
Output Range	3kW – 7kW (Nominally tested at 5kW)
Flue Size	5" / 130mm
Glass Size	405mm x 345mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)


Distance to Materials	Above	Sides	Back
To Combustibles	375mm	500mm	500mm
To Non-combustibles	250mm	100mm	50mm



SUDBURY COMPACT CLASSIC

CLOCK SUDBURY COMPACT CLASSIC

The Sudbury Compact Classic is a narrower version of our popular Sudbury Classic wood-burning stove, designed to fit into slightly smaller spaces while not compromising on quality or performance.



Dimensions	A	B	C	D	Weight
Clock Sudbury Compact Classic	445mm	610mm	345mm	90mm	78kg

Available in Black with Stainless Steel Dial as standard.

Optional Extras (Additional Cost):

- Colours – See Colour Chart (p30)
- Brass or Black Dial
- Direct Air Kit
- Heat Shield

Description	Values
Fuel Type	Wood-Burning only
Output Range	3.5kW – 6kW (Nominally tested at 4.9kW)
Flue Size	5" / 130mm
Glass Size	305mm x 345mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)



For best performance we recommend these distances to non-combustible materials.
A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles. Clock stoves must be placed on a hearth with a minimum thickness of 12mm.

Distance to Materials	Above	Sides	Back
To Combustibles	375mm	500mm	500mm
To Non-combustibles	250mm	100mm	50mm



SUDBURY

CLOCK SUDBURY

While retaining its signature look and proven performance, the new Sudbury introduces a series of subtle but meaningful updates, including a move from the magnetic door closure to a positive locking latched handle, a newly removable top flue collar to aid installation, and a slight adjustment to the height of the front log retainer. Each stove now comes with a stainless steel handle as standard, with an optional black handle and dial available for those seeking a different aesthetic. Still 81% efficient, smoke control exempt, and engineered for reliability, the new Sudbury is a perfectly balanced addition to any contemporary or traditional stove collection.



LOG BOX OPTION


Available in Black only with Stainless Steel Dial and factory-fitted Heat Shield as standard.

Optional Extras (Additional Cost):

- Black Handle & Dial Set
- Direct Air Kit



For best performance we recommend these distances to non-combustible materials. A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles.



Dimensions	A	B	C	D	Weight
Clock Sudbury Mk2	545mm	610mm	345mm	90mm	93kg
Clock Sudbury Mk2 with Logstore	545mm	850mm	345mm	90mm	130kg

Description	Values
Fuel Type	Wood-Burning only
Output Range	3kW – 7kW (Nominally tested at 5kW)
Flue Size	5" / 130mm
Glass Size	405mm x 345mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	700mm	500mm	450mm
To Non-combustibles	250mm	100mm	50mm



SUDBURY COMPACT

CLOCK SUDBURY COMPACT

The new version of the Sudbury Compact wood-burning stove features all the same modifications as the updated Clock Sudbury. Its simple and elegant design features a large aspect window and modern clean lines, and boasts an impressive heat output range of 3.5kW to 6kW.



LOG BOX OPTION


Available in Black only with Stainless Steel Dial and factory-fitted Heat Shield as standard.

Optional Extras (Additional Cost):

- Black Handle & Dial Set
- Direct Air Kit



For best performance we recommend these distances to non-combustible materials. A Heat Shield reduces the rear distance to combustibles to 200mm, but will not reduce the distance to non-combustibles.



Dimensions	A	B	C	D	Weight
Clock Sudbury Compact	445mm	610mm	345mm	90mm	78kg
Clock Sudbury Compact with Logstore	445mm	850mm	345mm	90mm	115kg

Description	Values
Fuel Type	Wood-Burning only
Output Range	3.5kW – 6kW (Nominally tested at 4.9kW)
Flue Size	5" / 130mm
Glass Size	305mm x 345mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	700mm	500mm	450mm
To Non-combustibles	250mm	100mm	50mm



SUDBURY GAS

CLOCK SUDBURY GAS (NATURAL GAS OR LPG)

The Sudbury Gas stove masterfully combines the unmistakable weight and craftsmanship of a classic Clock woodburner with the cutting-edge convenience of gas. At its heart is a fully remote-controlled 'pistol-style' burner engineered to produce a remarkably realistic, natural flame movement. Every detail has been optimised for maximum visual impact; the specialized anti-reflective glass ensures a perfectly crisp, clear view of the flames. This is beautifully complemented by a black glass rear chamber, which reflects the fire to create a sense of deep, endless warmth while making the natural flame colours truly 'pop'.



Sudbury Gas




Sudbury Gas Compact

Available in Black only with Stainless Steel Dial as standard.

Optional Extras (Additional Cost):

- Brass or Black Dial



Dimensions	A	B	C	D	Weight
Clock Sudbury Gas	545mm	610mm	345mm	95mm	65kg
Clock Sudbury Compact Gas	445mm	610mm	345mm	95mm	60kg

Description	Values
Fuel Type	Natural Gas or LPG
Output Range	Nominally tested at 4.8kW
Flue Size	6" / 150mm
Glass Size	405mm x 345mm
Rope Size	12mm Diameter Soft
Warranty	2 Years

Distance to Materials	Above	Sides	Back
To Combustibles	375mm	500mm	500mm
To Non-combustibles	150mm	100mm	75mm




For best performance we recommend these distances to non-combustible materials.



SUDBURY ELECTRIC

CLOCK SUDBURY ELECTRIC

The new Clock Sudbury Electric brings the unmistakable solidity and craftsmanship of the Clock brand into the electric category, with a robust steel construction that mirrors the heritage of its woodburning and gas counterparts. Designed as a seamless addition to the Sudbury family, it delivers the same clean lines, premium feel and design integrity that define the range. Feature-packed and visually striking, the Electric Sudbury is a standout centrepiece and an effortless addition to any showroom, offering customers the authentic Clock experience with the convenience of electric.



Features

Colour change under bed	Brightness
Colour change over bed	Sound
Colour change Screen	Countdown timer
Built in stat	Flickering front fuel bed effect
Remote control handset	Top lights on/off
Tuya smart App control	Underbed lights on/off
On/Off	Real log fuel bed

Available in Black only with Stainless Steel Dial as standard.

Optional Extras (Additional Cost):

- Brass or Black Dial

Dimensions	A	B	C	Weight
Clock Sudbury Electric	545mm	610mm	345mm	93kg

Description	Values
Fuel Type	Electric
Output	750w or 1500w
Glass Size	405mm x 345mm
Warranty	2 Years






BROCKSFORD CS5

CLOCK BROCKSFORD CS5 (WOOD-ONLY 5KW)

The Clock Brocksford was our first contemporary-designed wood-burning stove. For those looking for the warmth and ambience of a real wood burner, but with the clean lines and elegance of modern design principles.



Available in Black as standard.
Optional Extras (Additional Cost):
- Colours – See Colour Chart (p30)
- Direct Air Kit



Dimensions	A	B	C	D	Weight
Clock Brocksford CS5	490mm	930mm	435mm	150mm	120kg

Description	Values
Fuel Type	Wood-Burning only
Output Range	3kW – 7kW (Nominally tested at 5kW)
Flue Size	5" / 130mm
Glass Size	323mm x 385mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	750mm	250mm	250mm
To Non-combustibles	250mm	100mm	50mm



For best performance we recommend these distances to non-combustible materials.
Clock stoves must be placed on a hearth with a minimum thickness of 12mm.



SOMERSAL RANGE

CLOCK SOMERSAL CLASSIC & BOILER (HIGH OUTPUT)

The Somersal Classic is a beautifully crafted multi-fuel stove designed for larger spaces that need serious, dependable heat. With a wide output range of 7–14+kW, it combines flexibility with efficiency, carrying an impressive A+ rating at 80%.

With the same look, feel and performance as the Somersal Classic but with the added benefit of hot water, the Somersal B is the boiler model that not only warms your home but also provides domestic hot water and can integrate with your central heating system.




Available in Black only with Stainless Steel Fittings as standard.

Optional Extras (Additional Cost):

- Brass or Black Fittings
- Direct Air Kit (Classic only)



For best performance we recommend these distances to non-combustible materials.



Dimensions	A	B	C	D	Weight
Somersal Classic	705mm	675mm	465mm	110mm	160kg
Somersal Boiler	705mm	675mm	465mm	110mm	185kg

Description	Values
Fuel Type	Wood-Burning and Multi-Fuel
Output Range (Classic)	7kW – 14kW (Nominally tested at 10kW)
Output Range (Boiler)	7kW – 15kW (Nominally tested at 13kW) Nominal Output to Room: 3.99kW Nominal Output to Water: 9kW
Flue Size	6" / 150mm
Glass Size	415mm x 315mm
Rope Size	12mm Diameter Soft
Warranty	7 Years* (See p31 for details)

Distance to Materials	Above	Sides	Back
To Combustibles	550mm	700mm	950mm
To Non-combustibles	300mm	200mm	100mm

CLOCK

WOODBURNERS



Metallic Black



Honeyglow Brown



Forest Green



Light Metallic Grey



Mojave Red

COLOUR RANGE

FIND A DEALER

There is no better way to decide on your perfect stove than seeing it in action.

We have carefully selected some of the best fireplace and stove retailers in the country to showcase the Clock range and we are absolutely confident in their ability to offer you the best advice on choosing and installing a new stove.



Scan the QR code to
find your nearest dealer

Working in partnership with our approved dealer network

Your retailer will be able to advise on the right size stove for your property, the best fuel type to suit your lifestyle, demonstrate the features of your chosen stove and offer a detailed breakdown of the price including flueing materials and installation. As a manufacturer we work closely with all of our retailers and listen to their feedback and value their judgement. We also strive to help build their business which is why you won't find us selling our stoves over the internet – we believe in protecting your local retailers.

We understand that choosing a stove that will sit at the heart of your home takes time and can be confusing. So confident are we in our retailer's ability to give you the best advice that if they feel a Clock stove isn't the right choice for you, we encourage them to recommend the one that is.

Spares and Accessories

Visit the Spares & Accessories section of our website www.clockwoodburners.co.uk where we supply a range of accessories such as stove fans and thermometers. For our stoves we also supply spare consumable parts, all built with the same robust and efficient quality as your original stove.

Warranty Registration: Multi-Fuel and Wood-Burning Stoves

All Clock stoves are covered by a standard 12-month warranty, which is valid from the date of purchase.

For our multi-fuel and wood-burning stoves, Clock Woodburners will extend the standard warranty on the stove body to 7 years if a warranty registration form is completed on our website within 60 days of purchase from an authorised dealer.

The 7-year warranty only applies to multi-fuel and wood-burning stoves purchased through our approved dealer showroom network and installed by a registered HETAS or OFTEC installer.

If you are planning a self-install, then you must provide a copy of your Building Control Certificate sign-off sheet when registering your stove to qualify.

Any Clock stove purchased via a third party, such as an unauthorised dealer or online, will carry a statutory 12-month warranty and call out charges will apply.

The Sudbury Gas and Sudbury Electric stoves are both covered by a 2-year warranty.





For more information

Register Your Fire | Shop Spares | Service & Diagnostic

Unit 2, Navigation Business Park, Winsford Industrial Estate, Cheshire CW7 3RL

Part of the TEP Group